

First-Order Natural Deduction

Definition: The first order Natural Deduction System is derived from the propositional system by the addition of four rules:

$$\frac{\Phi}{\forall x(\Phi)} \forall_{I^*} \qquad \frac{\forall x(\Phi)}{\Phi[x := t]} \forall_E$$

$$\frac{\Phi[x := t]}{\exists x(\Phi)} \exists_I \qquad \frac{\begin{array}{c} \Phi \\ \vdots \\ \Psi \end{array}}{\Psi} \exists_E^{**}$$

with the following provisos:

* - The variable x may not occur free in any assumptions upon which the proof of Φ depends (i.e. in no undischarged assumption).

** - The variable x is not free in Ψ , or in any open assumption of the proof of Ψ other than the one discharged by the rule.

First-Order Natural Deduction

Some good proofs:

$$\overline{\forall x(\forall y(p(x, y)))} \Rightarrow \forall y(\forall x(p(x, y)))$$

$$\overline{\forall x(p(x) \wedge q(x))} \Rightarrow (\forall x(p(x)) \wedge \forall x(q(x)))$$

First-Order Natural Deduction

Some good proofs:

$$\overline{\forall x(p(x)) \Rightarrow \exists x(p(x))}$$

$$\overline{\exists x(p(x) \vee q(x)) \Rightarrow (\exists x(p(x)) \vee \exists x(q(x)))}$$

First-Order Natural Deduction

Why are the provisos important? Consider the following unsound proofs:

$$\overline{(0 = 0) \Rightarrow \forall x(x = 0)}$$

$$\overline{\forall x(\neg \forall y(x = y)) \Rightarrow (\neg \forall y(y = y))}$$

Inference in First-Order Natural Deduction

- If a bug is in a heated jar, its dead.
- This jar is heated.
- This bug is in this jar.
- This bug is dead.