

## Harvey Mudd College

### CS 152 Neural Networks Fall 2000

Bob Keller, Professor  
keller@cs.hmc.edu  
621-8483

## Office Hours (1249 Olin):

- Note: 1249 is in the SW corner of Olin
- Monday, Tuesday, Wednesday 4-5
- By drop-in (as available)
- By appointment:
  - email keller@cs.hmc.edu
  - phone 621-8483
- Crisis center: 621-2373

## Text: "NND"



[Neural Network Design](#) by Martin T. Hagan, Howard B. Demuth, and Mark Beale, originally published by PWS Publishing Company, 1996.


Reprint available from Huntley Bookstore, or University of Colorado Bookstore at 303-492-3648. ISBN 0-9717321-0-8.

## Course Outline

Please Refer to Web Page for details:

<http://www.cs.hmc.edu/courses/current/cs152>

## Neural Networks: an Eclectic Discipline



## Biological Intelligence

- Intelligence, the ability to make decisions based upon input from the environment.
- Intelligence is realized by a **network** of **neurons**, for example the brain and the attendant sensory and motor neurons.

## “Neurons R US”

- Not only our intelligence, but all aspects of our behavior, are the result of neural activity:
  - emotions
  - memory
  - reflexes
  - habits
  - likes and dislikes
  - addictions

## Approaches to Artificial Intelligence

- Reverse Engineering of Biology
  - Understand real neurons well enough to model
  - **Simulate** neural behavior
- Simulated Evolution
  - Provide basic evolutionary mechanism for neurons
  - **Evolve** intelligent behavior
- Artificial Neural Networks
  - Develop a parameterized model for a class of problems
  - **Learn** the parameters

## Fundamental Problems for a Given Neural Model

- How to **represent** information?
- How to characterize the **computational capability** of the model?
- How to achieve learning in the model?

## Some Applications of Artificial Neural Networks (1 of 5)

- **Optical character recognition**
  - U.S. mail zip-code recognizer
  - Kanjii: 4000 chars in 15 fonts, 99% accurate, 100k chars/sec (Sharp & Mitsubishi)
- **Communications**
  - Adaptive noise cancellation
    - Headphones
    - Conference telephones

## Applications (2 of 5)

- **Process control**
  - Electric arc furnace control: 30MVA, 50kamp transformer, \$2M savings
  - Steel-rolling mill controller
  - Copier uniformity control (Ricoh)
  - Anti-lock brakes, etc. (Ford)
  - Food process control (M&M)
  - Particle beam focusing (SLAC)
  - Fluorescent bulb mfg. (GE)

## Applications (3 of 5)

- **Financial analysis**
  - Prediction of commodities market (18% vs. 12.3% by traditional methods)
  - Mortgage risk evaluator (AVCO, Irvine)
  - Real-estate evaluation (Foster Onslley Conley)
  - Portfolio management (LBS Captial)
  - Currency trading (Citibank)
- **Crime prevention**
  - Bomb sniffer (JFK airport)
  - Credit card fraud detection (Visa, etc.)

## Applications (4 of 5)


- **Object classification**
  - Grading grains from video images
  - Forensics: glass classification
  - High-energy physics: particle identification
- **Warfare**
  - Missile guidance
- **Optical telescope focusing**

## Applications (5 of 5)

- **Biomedical**
  - Clinical diagnoses
  - Patient mortality predictions
  - Protein structure analysis
  - Electrode placement
- **Speech recognition**
- **Game playing**
  - World backgammon champion


## Some Physiological Aspects of Neurons

## Reference for Biological Aspects




Oxford University Press.


## Neuron Cell (top half)




## Neuron Cell (bottom half)




## Photomicrograph of one neural cell (from cerebral cortex)



## Structure of one neuron




## Photomicrograph of network of neural cells (from the hippocampus region of the brain)




## Composition of the Brain

- 10% neurons
- 90% glial ("glue") cells

## Myelin sheath around axon (consists of glial cells)



axon cross section



reference: Irwin B. Levitan and Leonard K. Kaczmarek, *The Neuron*, Oxford University Press, 1991.

## Myelin Sheath (cont'd)

- Acts as insulator
- Current can flow out only at junctions (called nodes of Ranvier) to other axons
- Demyelinating diseases:
  - Myelin deficit in newborns
  - MS (multiple sclerosis)
  - ALS (amyotrophic lateral sclerosis, "Lou Gehrig's disease")


## Dendrite Information Flow

- Normally dendrites receive information from synapses of other neurons
- In some cells, *both* input and output can occur through the *same* set of dendritic structures.

In addition to signal,  
axon carries:

- Construction material (proteins)
- Nutrients (in the form of mitochondria)
- Enzymes

## Experiment determining chemical nature of transmission, Loewi, 1921




reference: Irwin B. Levitan and Leonard K. Kaczmarek, *The Neuron*, Oxford University Press, 1991.

## Inter-Neuron Signaling


- An ionic (electro-chemical) reaction carries the signal across the gap between a synapse of one neuron and a dendrite of the next.
- The **strength** of this connection is an abstraction of the efficiency of the transfer.
- In artificial neural networks, this strength is represented by a numeric **weight**.

## Chemical Synapse




reference: James A. Anderson, *An Introduction to Neural Networks*, MIT Press, 1955.

## Electronmicrograph of one synapse/dendrite connection




reference: Irwin B. Levitan and Leonard K. Kaczmarek, *The Neuron*, Oxford University Press, 1991.

### Schematic sometimes used (symbolic of synaptic clefts)



### Ionic Neurotransmitter Reaction




reference: James A. Anderson, An Introduction to Neural Networks, MIT Press, 1955.

### Terminology

- **neurotransmitters**: molecules that traverse from synapse to dendrite through ion diffusion.
- **spiking**: abrupt change of output voltage
- **depolarization**: change in net input voltage toward a threshold value, at which it will "spike"
- **action potential**: the voltage change produced when the neuron spikes

### Spiking




Source: <http://www.yorku.ca/eye/spike.htm>

- C. If a stimulus arrives during this phase of the potential it can not stimulate the neuron.
- D. Only a very strong stimulus can stimulate the neuron during this phase.
- F. Absolute refractory period.
- G. Relative refractory period.

### All-or-None Behavior

- The action potential is essentially binary-valued.
- The strength of the stimulus does not matter, except insofar as whether it is over or above a threshold.

### Triggering phenomenon



reference: Irwin B. Levitan and Leonard K. Kaczmarek, The Neuron, Oxford University Press, 1991.


## Refractory Period

- A neuron cannot spike again while it is already spiking, or for some time afterward.
- The “waiting time” until the next spike can occur is called the refractory period.

## Intensity

- Because of the all-or-none behavior, the neuron indicates intensity of stimulation by the **frequency** of spikes, not amplitude.
- Because of the refractory period, there is a maximum frequency, at which the frequency **saturates**.

## Spiking Frequency of a Neuron as a Function of (Artificial) Stimulus Magnitude




## Intensity Abstraction

- In **artificial** neural networks, we associate an output value with a neuron, which might be continuous, but have an upper limit.
- This can be viewed as a convenient abstraction of what is really the value of spiking frequency.


## Patterns

- In addition to frequency, information can be encoded based on whether the neuron is spiking regularly (“beating”) or in bursts (“bursting”).

## Various Firing Patterns



## Different Patterns of Responses to a Given Stimulation



## Sizes, Scale

- Human estimated to have  $10^{10}$  -  $10^{11}$  neurons.
- One neuron may connect to  $10^2$  -  $10^3$  others.
- Therefore  $10^{12}$  -  $10^{14}$  connections are present.

## Speeds


- Switching speed  $\sim 1$  kHz  
(1 million times slower than a computer)
- Conduction speed  $\sim 100$  m/s  
(vs. near speed of light in a computer)
- Switching energy  $\sim 10^{-16}$  joules/op  
(vs.  $10^{-5}$  joules/op for today's computers)

## Human Nervous System

- Accounts for 1-2% of body's weight
- Consumes  $\sim 25\%$  of body's energy


## Transition to *Artificial* Neural Networks

## Neural network schematic



Many-to-many connections

## Neural network (further schematized)



## Generality

- Do we lose generality assuming a regular connection pattern?
- Do we lose generality assuming no cycles?

## Abstract Functional Characteristics of Neurons

- Weighted sum multiple synaptic inputs
  - positive weight: "excitatory"
  - negative weight: "inhibitory"
- Threshold triggering phenomenon:
  - weighted sum of inputs must exceed threshold in order to cause an event.

## How might a neural network learn?

## Hebb's Postulate, 1949

*The Organization  
of Behavior*  
A NEUROPSYCHOLOGICAL THEORY  
D. O. HEBB  
McGill University  
1949  
New York · JOHN WILEY & SONS, Inc.  
London · CHAPMAN & HALL, Limited

## Hebb's Postulate

A NEUROPHYSIOLOGICAL POSTULATE

Let us assume then that the persistence or repetition of a re-verberatory activity (or "trace") tends to induce lasting cellular changes that add to its stability. The assumption\* can be precisely stated as follows: When an axon of cell A is near enough to excite a cell B and repeatedly or persistently takes part in firing it, some growth process or metabolic change takes place in one or both cells such that A's efficiency, as one of the cells firing B, is increased.

## Hebb's Postulate

When an axon of cell A is near enough to excite a cell B and repeatedly or persistently takes part in firing it,

some growth process or metabolic change takes place in one or both cells

such that A's efficiency, as one of the cells firing B, is increased.

## Hebb Restated (Levitan and Kaczmarek)

“When a postsynaptic neuron becomes depolarized [fires], it generates a biochemical reaction or a trophic factor that stabilizes [strengthens] the excitatory synapses that are firing at that time.”

## Colloquial Hebb

Neurons that fire together wire together.

## Levitan and Kaczmarek


“An important aspect of [Hebb's] hypothesis is that a given presynaptic input to a cell need not, *by itself*, be of sufficient strength to induce a large depolarization in its target.

If that input is fired at the same time as a number of other inputs, and their combined action depolarizes the cell, all of these inputs will tend to be stabilized.”

## Levitan and Kaczmarek (cont'd)

- “If, in contrast, a given input fires asynchronously with most of the other inputs onto that cell, this input will tend to be eliminated.”
- [This could be called “anti-Hebbian” learning.]

## Levitan and Kaczmarek (cont'd)



Hebb's rule. Excitatory synapses that successfully stimulate a post-synaptic neuron, or are active when the postsynaptic neuron is depolarized, are selectively stabilized.

## Some NN Historical Highlights

- 1943 McCulloch and Pitts, Linear Threshold Logic Gate models
- 1949 Hebb, proposed Learning principle
- 1957 Rosenblatt's Perceptron
- 1960 Widrow & Hoff's Adaline
- 1969 Minsky & Papert (MIT), Limitations of perceptrons

## Historical Highlights (cont'd)

- 1970-1980 The "neural-net winter"
- 1974 Werbos (PhD thesis, Harvard), un-noticed discovery of backpropagation: how to train multi-layer networks
- 1982 Hopfield (Princeton, then Caltech) Hopfield networks
- 1986 Rumelhart and McClelland, popularized backpropagation in multi-layer perceptrons, published "Parallel Distributed Processing"


## Characteristics of Simple ANN Models

- "weight" = strength of connection
- threshold = value of weighted input below which no response is produced
- signals may be:
  - real-valued, or
  - binary-valued:
    - "unipolar" {0, 1}
    - "bipolar" {-1, 1}


## McCulloch-Pitts Model, 1943

- Synchronous operation
- Binary (uni-polar) signals
- Linear threshold gates

## McCulloch-Pitts Neural Model



## How Powerful is a Network of McCulloch-Pitts Neurons?



Can *any* switching function be represented?

Kleene's paper, 1956

- "Representation of Events in Nerve Nets"
- Used McCulloch-Pitts model with possible **feedback** connections
- Assumed synchronous model (not realistic?)
- "Events" are essentially what we now call **regular expressions**
- Provides an exact characterization of what McCulloch-Pitts network can do