


Intro to Software "Design Patterns"

Design Patterns

- Focus of a great deal of current attention in software development research and practice

What started the idea

Two books on *architecture* (not software)
by Christopher Alexander, et al.



and then came ...

(aka "Gang of four")

Design Patterns

Elements of Reusable
Object-Oriented Software

Erich Gamma
Richard Helm
Ralph Johnson
John Vlissides



Foreword by Grady Booch



ADDISON-WESLEY PROFESSIONAL COMPUTING SERIES

Uses earlier Booch Notation, rather than UML

Definition of a Pattern

- a solution to a recurrent problem
- not a "concrete" solution, but an abstract version of it
- four essential elements:
 - Name of the Pattern
 - The Problem
 - The Solution
 - Consequences, tradeoffs

Uses of Patterns

- Conversational “handle” on which to hang ideas and concepts
- To direct the developer to a known solution for a kind of problem
- To help focus a design
- As a vehicle for refining solution techniques

Patterns help to:

- solve specific design problems
- reduce the need for redesign
- provide reusable solutions
- act as templates
- pass on knowledge from experts to novices

Patterns are not ...

- Classes
- Libraries
- Packages
- Macros
- Higher-order functions
- Template classes

However, some of these could conceivably capture some design patterns.


Examples of Patterns

- "Design Patterns" book lists 23 patterns, in several categories. These are sometimes annotated GoF ("Gang of Four").
- GRASPatterns in Larman book.
- Others have contributed many additional patterns.


Example: Composite Pattern

- Name: Composite
- The Problem: Construct a class of objects wherein
 - Objects can be indivisible *or* have multiple components.
 - A collection of components can be treated as a *single* object by a client.
- The Solution: The one shown in the diagram
- Consequences, tradeoffs

UML for Composite



Non-Recursive Composite Pattern UML



Examples of Composite Patterns

- Drawing program shape: rectangle, oval, **group**: set of shapes
- File systems, files, directories, links
- S expressions

Tradeoffs in Composite Pattern

- Whether *recursive* structure is needed, or will “flat” structure suffice
- Whether *ordering* of components is significant
- Whether components refer to *parents*
- Whether components can be **shared**
- Who should *delete* the *children*
- Whether children are represented as a *list* or simply enumerated
- Data structure issues (whether to use struct, array, linked list, etc.)

Patterns to be Discussed (alphabetized)

- Adapter
- Cache
- Command
- Composite
- Decorator
- Delegation
- Façade
- Interface
- Iterator
- Memento
- Model-View-Controller
- Observer
- Proxy
- Singleton
- State
- Stream
- Visitor

Iterator Pattern

- (GoF, p 257) aka Cursor Pattern
- provides a way to enumerate the elements in a container **without exposing the internal structure of the implementation.**
- There can be multiple Iterators on a given container.
- Examples:
 - Java: **Enumeration** and **Iterator** interfaces
 - C++: Standard Library, there are for many iterator template classes.

C++ Iterator Concepts

- Trivial Iterator
- Input Iterator
- Output Iterator
- Forward Iterator
- Bidirectional Iterator
- Random Access Iterator

See www.sgi.com/tech/stl/Iterators.html


C++ Iterator Types

- `istream_iterator`
- `ostream_iterator`
- `reverse_iterator`
- `reverse_bidirectional_iterator`
- `insert_iterator`
- `front_insert_iterator`
- `back_insert_iterator`
- `input_iterator`
- `output_iterator`
- `forward_iterator`
- `bidirectional_iterator`
- `random_access_iterator`

What Every Iterator Needs

- A way to establish a specific element, such as the "first" element
- A way to access the current element
- A way to move on to the "next" element
- A way to indicate that there are no more elements

Iterator Pattern UML, with Interfaces



Iterator Patterns in Java: Enumeration Interface

- Informal Methods:

- `creator`

- `first()`

- `next()`

- `!done()`

- `currentItem()`

- Java realization:

- `Enumeration e =
container.elements();`

- (implied in initialization)

- `nextElement()`

- `hasMoreElements()`

- none- use result of `nextElement()`

Iterator Patterns in Java: Iterator Interface

- Informal Methods:

- creator

- first()

- next()

- !done()

- currentItem()

- Java realization:

- `Iterator e = linkedList.iterator();`

- (none)

- next()

- hasNext()

- (none- save result of next ())

Iterator Pattern in C++ STL

- **General Methods:**

- first()
- next()
- done()
- current()

- **C++:**

```
Container<Type>::Iterator myIterator;
```

- myIterator = container.begin();
- myIterator++;
- myIterator == container.end();
- *myIterator

- **Syntax is that of a pointer**

Exercise

- Consider a composite that structures its elements as directed, ordered, **tree**.
- What kinds of iterators would you propose?
- What are the methods on each iterator?


Visitor Pattern

- (GoF, p 331)
- Similar to the Iterator pattern, except that rather than passing objects outside during the enumeration, a Visitor object is passed **into** the Container.
- The Visitor works on the objects while *inside* the Container.
- **Purpose:** Can add **new operations** on a structure without knowing structure details.

Similar to `map` in Functional Programming

- `map(F, L)` maps a function over a list.
- There is no explicit extraction of the list elements outside of the `map`.
- The function does not need to know how the list is structured.

Visitor Pattern UML




Visitor in C++

- ```
class Container<Type>
{
 acceptVisitor(Visitor<Type>) ;
 ...
}
```
- ```
class Visitor<Type>
{
    visit(<Type> Thing) ; // Do something to Thing
    next() ;             // Advance to the next.
    boolean done() ;     // Tell if no more things.
}
```

Façade Pattern

- (GoF, p 185)
- An entire sub-system or set of classes, etc. is given a **single simple interface** in order to
 - shield the user against the internal complexity of how the classes are used together
 - bundle together less-coupled components

Façade Pattern example




Façade Pattern

- In building using a façade pattern, it is important that the individual components not *depend* on the façade itself.
- This would introduce cross-coupling, which is undesirable.
- When the façade is “removed”, the components should “fall apart” as their original, uncoupled or loosely-coupled, entities.


Rather than Make the Façade a Single Class, A Package can also be used

- A package is a group of related classes.
- Packages can have sub-packages.
- Visibility can be controlled



Brief Digression on Packages

Packages/Dependency notation in UML



Coupling / Cohesion Terminology

- Two packages (or classes, for that matter) between which there is a high-degree of interplay are said to be **strongly-coupled**.
- Strong coupling is considered undesirable; **loosely-coupled** is better for packages and classes.

Coupling / Cohesion Terminology

- A set of methods for a class, or classes in a package, are said to be **cohesive** (or "coherent") if they provide aspects of a uniform model for dealing with the objects / classes.
- Cohesiveness is desirable; it is the mark of a careful design.

Coupling / Cohesion Summary

- Coupling is "bad".
- Cohesion (coherence) is "good".

- See also: *GRASP* (Larman):
 - Low-coupling pattern
 - High-cohesion pattern

About Packages

- **Innermost** packages contain classes
- **Cyclic dependencies** among packages should be avoided: break them, or combine into a single package.
- Packages can help delineate work-breakdown among teams, and can thus serve as a **management device**
- Consider **Java *package* construct**.
- Equivalent in C++ is **namespaces**


A Portion of a Java Package Hierarchy

```
java.net
java.rmi
    java.rmi.activation
    java.rmi.dgc
    java.rmi.registry
java.rmi.server
java.security
    java.security.acl
    java.security.cert
    java.security.interfaces
    java.security.spec
```


Namespaces in C++

- Without Namespaces, there is one big flat name space.
- The danger is conflicting names in different modules and name space “pollution” by modules with lots of names.
- Namespace construct allows structuring into an arbitrary number of hierarchical levels.

C++ Namespace Example



C++ Namespace Example



Short-cut rules can lead to confusion if used.

Returning to Patterns

Decorator Pattern

- (GoF, p 175)
- aka Wrapper (one version)
- Enclose an object of one class in another class that “decorates” the original objects (e.g. scrollbars or a border around a window).
- Examples: streams of various types (OutputStream, **FileOutputStream**, **PrintStream**, ...)

Decorator Class Structure

- At least three possibilities:
 - The decorating class **inherits** from the decorated class ("direct" decoration).
 - The decorating class **aggregates** or **composes** a member of the decorated class ("decoration by **delegation**").
 - A third class aggregates or composes both the decorated class and the decoration.


Adapter Pattern

- (GoF, p 139)
- aka Binding, Wrapper
- Adapts one or more existing APIs to fit another API specification (one that clients expect).
- (API = Application Programming Interface)

Adapter Example


- An interface defines a **Stack**.
- A dynamic array implementation defines an **Array**.
- An adapter is an **ArrayStack**, i.e. a class satisfying the stack interface, implemented using an array.
- The roles of the Stack and Array classes are not symmetric.

Adapter Pattern based on Association



In C++, multiple inheritance would be used.

Adapter Pattern in Java using Enumeration




```
public class ServicesEnumeration
    implements Enumeration {
    public boolean hasMoreElements() {
        return this.currentServiceIdx <= adaptee.numServices();
    }
    public Object nextElement() {
        if (!this.hasMoreElements()) {
            throw new NoSuchElementException();
        }
        return adaptee.getService(this.currentServiceIdx++);
    }
}
```

Bridge Pattern


- (GoF, p 151)
- aka "Handle/Body" or "Interface" pattern
- Abstract an API by providing an interface class, with the **intention by design** of providing *different implementations* for the interface.
- Example: Java awt (abstract window toolkit) vs. M/S Windows or MacOS Windows (called "peer" classes)

Bridge Pattern UML



Using a Bridge

- Example: Interface to a component that is incomplete, not yet known or unavailable during testing
- JAMES Project (CMU): if seat (for vehicle) data is required to be read, but the seat is not yet implemented, not yet known or only available by a simulation, provide a bridge:



JAMES Bridge Example in Java

```
public interface SeatImplementation {
    public int GetPosition();
    public void SetPosition(int newPosition);
}

public class AimSeat implements SeatImplementation {
    public int GetPosition() {
        // actual call to the AIM simulation system
    }
    ...
}

public class SARTSeat implements SeatImplementation {
    public int GetPosition() {
        // actual call to the SART seat simulator
    }
    ...
}
```

Adapter vs. Bridge

- Adapter and Bridge are similar:
 - **Adapter**: Adapts **existing** classes to an expected interface. The interface and classes exist; the new thing is the adapter, a go-between class.
 - **Bridge**: Creates an abstract Interface **to be** implemented by multiple classes; keeps the implementations separate from the interface. The new thing is the interface.

Adapter vs. Bridge

- The adapter pattern is geared towards making **unrelated** components work together
 - Applied to systems after they're designed (reengineering, interface engineering).
- A bridge, on the other hand, is used up-front in a design to let abstractions and implementations vary independently.
 - **Ab initio engineering** of an "extensible system"
 - New "beasts" can be added to the "object zoo", even if these are not known at analysis or system design time.

C++ Bridge Pattern

- ```
class Stack<Item>
{
virtual void push(Item item) = 0;
virtual Item pop() = 0;
}
```



Interface definition

```
class ArrayStack<Item> : public Stack<Item>
{
Item array[];
}
```



*An implementation  
of the interface*

# C++ Bridge Pattern (cont'd)

---

---

Another implementation  
of the interface

- ```
class ListStack<Item> : public Stack<Item>
{
list<item> List;
}
```

Singleton Pattern

- (GoF, p 127)
- A class with exactly one instance (or a class used only for its static members).
- Implements a **global access point**.
- Still use a class
 - Globals are still not a good idea
 - May wish to use multiple instances in the future.