

Index

Symbols

3D face capture, 364
3D face recognition, 431
3D face rendering, 149
3D Landmark detection, 437
3D model fitting, 257
3D morphable model, *see* Morphable model
3D reconstruction, 153, 364
3D representation, 138
3D scan, 138
3D+2D enrollment, 443
3D-3D face recognition, 435
3D-3D face recognition for partial scans, 436
3D-aided 2D face recognition, 443
3D-aided profile recognition, 440

A

AAM, 125, 306, 311, 370, 463, 685
 For tracking, 478
 Multi-resolution, 371
 Tensor-based, 307
Absolute ID, 676
Access control, 620
Action units, 465, 470
Active appearance model, *see* AAM
Active shape model, *see* ASM
Active vision, 358, 360
AdaBoost, 279, 280
 Learning algorithm, 288
 Optimal threshold of weak classifiers, 285
 Strong classifier, 280
 Weak classifier, 280
AFEA, *see* Automatic facial expression
 analysis
Aging modeling, 252
Aging pattern, 258
Aging simulation, 252

Aligning shapes, 110
Ambient video, 678
Analysis by synthesis, 138, 149, 150
Annotated Face Model (AFM), 429
Anonymous surveillance, 676
Anthropometric, 258
Anthropometric method, 659
Aperture stop, 356
Appearance feature, 504
Appearance models, 109, 118
Appearance-based, 10, 278
 Tracking, 473, 478
Appearance-based representation, 140
ASM, 92, 121, 306, 311
AsymBoost, 290
Asymmetric learning, 289
Atmospheric distortion, 356
Atmospheric transmission loss, 365
Automatic enrollment, 369
Automatic facial expression analysis, 488

B

Baseline, 364
Basis functions, 20
 KLT, 21
Bayes rule, 152
Bayesian face subregions, 210
Benchmarking, 564
Bidirectional relighting, 447
Bilateral Total Variation (BTV), 375
Binary tree, 313
Bing streetside, 680
Binning, 643
Biometric samples, 552
Biometric surveillance system, 366
Blind vision, 684
Blurring, 682

Bone-based animation, 469
 Bones, 469
 Bregman divergence, 71, 72

C

Camera calibration, 366, 367
 Camera models, 471
 Camera network, 338
 Candide, 469, 474, 478
 Caricatures, 604
 Cascade of classifiers, 290
 Certification, 688
 Challenges, 7
 Chi-square distance, 90
 Closed-set identification, 552, 557
 Cognitec FaceVACS, 369
 Color
 In video sequences, 238
 Color camera, 226
 Color cue
 For face detection, 239
 For face recognition, 244
 Color spaces, 234
 For skin, 234
 Overlapping, 234
 Compliance, 687
 Compositional AAM, 131
 Congestion charging, 678
 Convex combination, 534, 535
 Cooperation
 Subject, 353, 355
 Cooperative scenario, 3
 Copyright protection, 681
 Correspondence, 138
 Cranial size, 258
 Cryptography, 683

D

Database
 Facial expression, 496
 FERET, 36, 564
 Long range, 359
 MBGC, 337
 De-identifying faces, 685
 Deformable model fitting, 439
 Deliberate expression, 494
 Demographic information, 649
 Department of motor vehicles, 663
 Depth of field, 356
 Developmental aspects, 589
 Dimension
 Intrinsic, 20

Dimensionality, 20
 Discriminative Locality Alignment (DLA), 53,
 63, 64
 Distant Human Identification (DHID), 360
 Distributed surveillance, 682
 Double redaction, 683
 Dynamic aspect, 575
 Dynamic information, 576

E

Edgelet, 364
 Eigen light-fields
 Classification, 206
 Definition, 202
 Estimation algorithm, 203
 Face recognition across pose, 204
 Eigenface, 19, 140, 465, 685, 686
 Eigenfaces, 24, 465, 479
 Bayesian, 27
 Probabilistic, 24
 Eigenfeatures, 45
 EKF, *see* Extended Kalman filter
 EM-algorithm, 147
 Emotional-based expressions, 489
 Evaluation, 564
 Evasive subject, 355
 Exposure time, 356
 Expression, 600
 Expression details, 535, 538
 Expression editing, 541, 543
 Expression intensity, 493
 Expression mapping, 533, 534, 538
 Expression model, 120
 Expression ratio image (ERI), 535, 536
 Expression recognition, 506
 Expressions, 575, 583
 Extended Kalman filter, 463, 474, 476
 Extrapersonal variations, 27
 Eye candidate, 308
 Eye localization, 307
 Eye-pair, 311
 Eyeglasses, 394

F

F-number, 355
 F-stop, 356
 Face acquisition, 488, 499
 Face aging, 395
 Face alignment, 370
 Face cataloger, 361
 Face categorization, 599
 Face databases, 627
 Face description using LBP, 87
 Face detection, 4, 5, 277, 499

- Merge, 295
- Nonfrontal faces, 280, 292
- Face detector, 685
- Face Identification, 618
- Face image
 - Broad band, 401
 - Multispectral, 401
 - Narrow bands, 401
- Face image variations, 139
- Face matching, 4
- Face model compactness, 371
- Face modeling, 464, 522
 - from a single image, 522, 527
 - from an image sequence, 522
 - from two orthogonal views, 522, 526
- Face normalization, 4
- Face recognition, 5, 197
 - Across illumination, 199
 - Across pose, 197
 - Across pose and illumination, 201
 - Multiview, 197
 - under varying illumination, 532
- Face recognition processing, 3
- Face recognition system, 1
- Face recognition vendor test, *see* FRVT02
- Face recognition with spherical harmonic representations, 184
- Face relighting, 522, 529
 - from a single image, 530
- Face subregions, 210
- Face subspace, 20, 140, 141, 144, 147, 465
- Face tracking, 323
- Facebook, 679
- FaceVACS, 253
- Facial action coding system, 465
- Facial aging, 251
- Facial animation parameters, 466
- Facial definition parameters, 466, 468
- Facial expression analysis, 487
- Facial expression recognition, 488
- Facial expression synthesis, 522, 533
- Facial feature extraction, 502
- Facial feature representation, 502
- Facial landmark, 305
- Facial Landmark Model (FLM), 437
- Facial motion, 582
- Facial representation, 488
- FACS, *see* Facial action coding system
- FACS action units, 489
- False alarm rate, 553
- FAP, *see* Facial animation parameters
- FDP, *see* Facial definition parameters
- Feature extraction, 4
- Feature selection, 284, 389

- Feature-based tracking, 474
- Featureless, *see* Appearance-based
- Federal Bureau of Investigation (FBI), 657
- FERET, 90, 156, 551, 561, 564
- FG-NET, 254
- Field of view, 355
- Fisher light-fields
 - Definition, 214
 - Face recognition across pose and illumination, 214
- Fisherfaces, 26
 - Kernel, 36
- Fisher's Linear Discriminant Analysis (FLDA), 52–55, 57, 59, 60, 66, 71, 72, 74
- Fitting algorithm, 138, 150
 - Initialization, 151
- Fitting score, 158
- Flexibility, 640
- Flickr, 679
- FloatBoost, 289
 - Learning algorithm, 289
- FMRI, 582
- Focal length, 149, 355
- Focus-of-attention, 358
- Forensic examiners, 656
- Forensic photographic comparison, 656
- Forensic science, 655
- Forward feature selection, 288
- Fourier transform profilometry, 365
- Foveated imaging, 358, 361
- FRVT, 160, 551, 554, 558, 561, 567, 617
- Funk–Hecke theorem, 175
- Fusion of machine and human recognition, 610, 667

G

- Gait, 360
 - Fusion with face, 365
- Generative model, 138
- Generative Topographic Mapping (GTM), 53, 62, 64
- Geometric feature, 503
- Geometric Mean Subspace Selection (GMSS), 55–59
- Geometric warping, 534
- Geometry-driven expression synthesis, 536
- Google, 679
 - Goggles, 679
 - Street view, 680
- Grassmann manifold, 57, 335
- Gray-scale invariance, 84
- Ground truth, 496

H

Haar-like features, 281
 Harmonic Mean Subspace Selection (HMSS), 56–59
 Harmonic reflectances, 180
 Head orientation, 494
 Head pose estimation, 500
 Head rotations, 292
 Hessian Eigenmaps (HLE), 52, 53, 60, 62
 Hierarchical principal component analysis, 539
 HIPAA, 679
 Histogram, 85, 86, 88
 History of research, 1
 Holography, 365
 Horizontal scaling, 642
 Human computer interaction (HCI), 631
 Human face processing, 598
 Human ID, 359
 Human performance, 597
 Characteristics of, 601
 Human-machine comparisons, 607
 HumanID gait challenge problem, 559

I

ICA, 29
 Identification, 2, 675
 Across pose, 156
 Across pose and illumination, 156
 Confidence, 158
 Identification rate, 553
 Identity variation, 120
 Identix faceIt, 369
 Illumination, 608
 Illumination change, 383
 Illumination cone, 174
 Illumination invariant, 386, 388
 Illumination modeling, 149
 Illumination normalization, 217
 Image space, 19
 Independent component analysis, 29
 Integrability, 640
 Interior point method, 539
 Intervention, 681
 Intrapersonal variations, 27
 Inverse rendering, 529
 Inverse-compositional AAM, 306
 ISOMAP, 52, 53, 60, 62
 Iterative closest point, 523

K

Kalman filter, 463, 476
 Kalman filter tracking, 366, 368
 Karhunen–Loève Transform, 21

Kinetic Traveling Salesman Problem (KTSP), 363
 KLT, 21

L

Lambertian, 170–174, 187, 200, 204, 325
 Lambertian model, 386, 387
 Laplacian Eigenmaps (LE), 52, 60, 62
 Laser, 365
 Laser radar, 365
 Law enforcement, 626
 LBP, 84
 LBP-TOP, 86
 LDA, 10, 26
 Learning, 10
 Legislation, 687
 Light-field, 202
 Linear asymmetric classifier, 290
 Cascade learning goal, 290
 Linear class of face geometries, 523
 Linear discriminant analysis, 26
 Linear Gaussian model, 146
 Linear interpolation, 258
 Local binary patterns, 84
 Local tangent space alignment (LTS), 53, 60, 62
 Locality Preserving Projections (LPP), 53, 62, 66, 67, 74, 75
 Locally Linear Embedding (LLE), 52, 60, 62
 LRHM database, 359

M

Manifold, 5
 Manifold Elastic Net (MEN), 64–69
 Manifolds
 Nonlinear, 7
 Max-Min Distance Analysis (MMDA), 52, 54, 57–59
 Maximum a posteriori estimation, 151
 MBE, *see* Multiple Biometric Evaluation
 MBGC, *see* Multiple Biometric Grand Challenge
 Mean shape, 259
 Mechanical vibration, 356
 Media space, 678, 685
 Medical images, 679
 Metric, 523
 Model space, 523
 Model-based bundle adjustment, 525
 Model-based tracking, 472
 Model-driven bundle adjustment, 522
 Monte Carlo method, 329
 Morph targets, 468
 Morph-based facial expression synthesis, 533

- Morphable model, 138, 170, 255, 320
 - Construction of, 141
 - Regularized, 146
 - Segmented, 147
- Morphology, 657
- Motion blur, 356
- Motion propagation, 539
- Motion-based tracking, 472
- MPEG-4 Facial Animation, 463, 466
- Mugshot, 657
- Multi-stage comparison, 643
- Multi-view videos, 339
- Multimedia management, 630
- Multiple Biometric Evaluation, 551, 569
- Multiple Biometric Grand Challenge, 337, 359, 360, 571
 - NIST, 359
- Multispectral face database, 409
- Multispectral imaging, 402
 - Band selection, 402, 408
 - Capture systems, 403
 - Feature extraction, 408
 - Fixed-filter systems, 404
 - SpectraCube, 405
 - Turnable filter systems, 404
- Multispectral power distributions, 412
- N**
- Narrow field of view, 358
- Near infrared face image
 - Matching, 391
 - Modeling, 387
- Near infrared imaging, 384
 - Active lighting, 384
 - Frontal lighting, 384
 - Non-intrusive, 384
 - Outdoor, 396
 - System, 384
- Neurophysiological aspects, 582, 590
- NFOV, *see* Narrow field of view
- NIR, *see* Near infrared
- NIR face recognition, 383
- Non-additive combinations, 493
- Non-cooperative scenario, 3
- Normalized color coordinates (NCC), 235
- O**
- Object centered representation, 140
- Omnivident, 678
- Open-set identification, 552, 553
- Operating point, 686
- Optical axis, 149
- Orthogonal projection, 256
- Orthographic projection, 470
- P**
- Pan-tilt-zoom camera, 358, 366
 - Calibration, 367
- Paparazzi, 681
- Parametric face model, 523
- Parrot recognizer, 682
- Partial Registration, 439
- PCA, 10, 21, 51, 53, 60, 64, 66, 67, 71, 74, 111, 172, 312, 465
 - Kernel-PCA, 35
 - Nonlinear, 33
- Penetration rate, 649
- Perceptual adaptation, 604
- Performance evaluation, 551
- Performance measures, 552
- Performance statistics
 - Variance of, 559
- Permutation
 - Pixel, 682
- Person detection, 366
- Person tracking, 366
- Perspective projection, 149, 471
 - Weak, 149
- Phong model, 149
- Photometric stereo, 189
- Physically-based facial expression synthesis, 533
- Picasa, 679
- PIE (Pose, Illumination and Expression), 153, 156, 357
- Pittsburgh pattern recognition, 360
- Pixellation, 682
- Plenoptic function, 202
- PolarRose, 679
- Police agencies, 664
- Pose correction, 254
- Pose normalization, 160
- Principal component analysis, *see* PCA
- Principal components, 255
- Principal components analysis, 144
- Principal components analysis
 - probabilistic, 146
- Principal curves, 33
- Privacy, 671
 - Data, 673
 - Visual, 673
- Privacy concern, 672
- Privacy policies, 684
- Privacy protection, 671
- Privacy registrar, 688

- Privacy threat, 675
- Privacy tokens, 684
- PrivacyCam, 682, 688
- Procrustes analysis, 110
- Profile extraction, 441
- Projection models, 470

- Q**
- Quadratic programming, 539
- Quality of model matching, 126
- Quotient image, 529

- R**
- Radial basis function, 258
- Radiance environment map, 530
- Random forest, 311
 - Classifier, 313
 - Embedded ASM, 311
- RANSAC, 481
- Ratio image, 529, 532, 533
- Re-rendering across pose, 204
- Redaction, 681
- Region of interest (ROI), 443
- Reinforcement learning, 361
- Relative ID, 677
- Relighting from a single image, 530
- Rerendering, 682
- Resource allocation, 363
- Reversibility of redaction, 682
- Rigid transformation, 149
- Robots, 378
- Rotation matrix, 257

- S**
- Scalability, 640
- Scale out, 642
- Scale-up, 642
- Scrambling, 682
- Security, 623
- Sequential importance sampling, 329
- SfM, *see* Structure from motion
- Shape AAM, 131
- Shape models, 109
- Shape pattern, 258
- Shape reconstruction, 189
- Simultaneous inverse compositional (SIC), 370
- Singular value decomposition, 22
- Skin color, 223
 - Canonical image, 228
 - Difficulty in using, 223
 - In face detection, 224, 225
 - Mathematical models, 236
 - Non-canonical image, 231
 - White balancing, 227
- Skin reflectance model, 445
- Skinning, 469
- Smart cards, 625
- Social network, 362
- Spatio-temporal patterns, 326
- Spatiotemporal LBP, 86
- Specular reflectance, 187
- Spherical harmonic basis, 530
- Spherical harmonic basis image, 530
- Spherical harmonic morphable model, 522, 530
- Spherical harmonic representations, 174
- Spontaneous expression, 494
- Stereo baseline, 364
- Still-to-video matching, 326
- Stochastic Newton optimization (SNO), 152
- Strong classifiers, 287
- Structure from motion, 463, 474, 476
- Subspace, 4, *see also* Face subspace, 320
- Subsurface scattering, 171
- Super-resolution
 - Facial, 363, 375
 - Facial side-view, 365
 - General, 375
 - Registration, 375
 - Regularization, 375
- Surveillance, 3, 625
- Surveillance perspective, 357
- SVD, *see* Singular value decomposition
- Synthetic face image, 149

- T**
- Task visibility interval, 363
- Technologies, 11
- Tensorfaces, 31
- Texture mapping, 469, 479
- Texture models, 115
- Texture pattern, 259
- Texture primitives, 85
- Texture representation, 118
- Transparent society, 672
- Throughput, 642
- Tikhonov regularization, 256
- Total information awareness (TIA), 680
- Tracking-then-recognition, 326
- Transfer Subspace Learning (TSL), 71
- Transitions, 492
- TRUSTe, 688
- Typicality, 602

- U**
- University of Texas at Dallas, 359
- Unsharp masking, 363

Utility of video

- Appearance modeling, 325
- Ensemble matching, 325
- Frame-based fusion, 324

UTK-LRHM database, 359, 363

V

Vectorization, 205

Verification, 2, 552, 556

Vertical scaling, 642

Video privacy, 672

Video sequence, 323

Video-based, 323

Video-to-video matching, 334

Virtual environment simulator, 363

Virtual view, 160

Visual privacy, 671, 675

Volume LBP, VLBP, 86

Voyeurism, 675

W

Watchlist identification, 3

Weak classifier, 284

- Decision tree, 284

- Stump, 284

Weak perspective projection, 471

WFOV, *see* Wide Field Of View

Wide Field Of View, 358

Windows live photo gallery, 679